Current Chemistry Letters 12 (2023) 297-304

Contents lists available atGrowingScience

Current Chemistry Letters

homepage: www.GrowingScience.com

# Cationic surfactant influence on ternary complexes of CoII, NiII, CuII and ZnII ions with aspartic and citric acids

# Srinivasa Rao Pedada<sup>a\*</sup> and Nageswara Rao Gollapalli<sup>b</sup>

<sup>a</sup>Assistant professor, Gayatri vidya parishad, Engineering College for Women, Visakhapatnam-530 048, India <sup>b</sup>Professor, School of Chemistry, Andhra University, Visakhapatnam-530 003, India

| <u>CHRONICLE</u>   | ABSTRACT  |
|--|---|
| Article history:<br>Received July 20, 2022<br>Received in revised form<br>August 28, 2022<br>Accepted December 18, 2022<br>Available online<br>December 18, 2022 | A potentiometric titration study has been undertaken to determine the cationic surfactant influence on mixed ligand complexes in ternary systems consisting of cobalt (II), nickel (II), copper (II), and zinc (II) with aspartic and citric acids at various concentrations $(0.0-2.5\% \text{ w/v})$ of the CTAB (Cetyltrimethyl ammonium bromide)-surfactant solution while maintaining an ionic strength of 0.16 mol L <sup>-1</sup> (NaCl) at 30 °C. Titrations were performed in the presence of different ratios (M:L:X = 1:2:2, 1:4:2, and 1:2:4) of metal (M) and aspartic acid (L) to citric acid   |
| December 18, 2022<br>Keywords:<br>Aspartic acid<br>Citric acid<br>CTAB<br>Stability constants<br>Ternary complexes   | (X) using sodium hydroxide. Model systems were developed based on statistical parameters and<br>residual analysis. For Co(II), Ni(II), Cu(II), and Zn(II), the species detected were MLXH <sub>2</sub> ,<br>MLX <sub>2</sub> H <sub>5</sub> , and MLX <sub>3</sub> . The electrostatic relationship of the ligands' side chains, charge<br>neutralization, chelate effect, stacking interactions, and hydrogen bonding are used to explain<br>the trend in the variation of logarithm of stability constants (log β) values with changing dielectric<br>constant and mole fraction of the surfactant. The variation in species distribution as a function<br>of pH and surfactant composition is also presented and discussed, as are plausible equilibria for<br>the formation of the species and structures of the ternary complexes are also presented and<br>discussed. |
|  | © 2023 by the authors; licensee Growing Science, Canada.  |

# 1. Introduction

L-aspartic acid (Asp) is a naturally occurring amino acid with an extra carboxylic group in the side chain<sup>1</sup>. Asp is a component of the active centre of some enzymes<sup>2</sup> and forms complexes with metal ions via its three binding sites. Chelation via the amino and  $\alpha$ -carboxylate groups occurs readily and studies of metal binding have been undertaken to deduce whether side chain carboxylates are also coordinated to the metal ion<sup>3-4</sup> Potentiometric studies on vanadium (III) complexes with L-alanine and Asp were carried out by Bukietynska et al<sup>5</sup>. Bottari studied<sup>6</sup> copper (II) complexes with aspartate and glutamate. The stability constants of biomolecules and amino acid-mixed ligand complexes with Ni(II) were investigated using the potentiometric titration method by Phase et al<sup>7</sup>. Ternary transition metal complexes with an azo-imine ligand and 2,2'-bipyridine characterization, computational calculations, and acetylcholinesterase inhibition activities were studied by Serbest et al<sup>8</sup>. Mononuclear pyrazine-2-carbohydrazone metal complexes: Synthesis, structural assessment, thermal, biological, and electrical conductivity studies were carried out by Ashish Bansod et al<sup>9</sup>.

Citric acid (2-hydroxy-1,2,3-propanetricarboxylic acid (Cit) ions occur in small amounts in most living organisms and act as bioactive ligands in many biochemical processes<sup>10-14</sup>. Due to their capacity to form thermodynamically stable complexes with a variety of metal ions, they have found widespread use in food, pharmaceutical industries, and medicinal

\* Corresponding author. E-mail address <u>raosrp@gmail.com</u> (S. R. Pedada)

© 2023 by the authors; licensee Growing Science, Canada doi: 10.5267/j.ccl.2022.12.009

formulations. Recently, much attention has been focused on the synthesis of nanomaterials using metal citrates as precursors <sup>(15-18)</sup>. Also, modelling studies involving ternary complexes have gained<sup>19-21</sup> popularity [Sasikumar et al., 2019; <u>Rawda</u> et al., 2019; Sujay Mahata et al., 2019] in the context of understanding the role of metal ions in physiological systems.

The significance of the present study is to identify the metal complex species formed under the given experimental conditions and to validate the associated models by statistical treatment of the data obtained relating to the ternary stability constants of aspartic and citric acids. Surfactant-water mixtures are used in these studies to mimic physiological fluid media. These data are useful in extraction metallurgy, nuclear energy, and medical, environmental, and industrial research<sup>22</sup>. In general, stability constant data are useful in understanding the role and activity of metal complexes in biological systems<sup>23</sup>.

#### 2. Experimental

Solutions of  $Co^{II}$ ,  $Ni^{II}$ ,  $Cu^{II}$ , and  $Zn^{II}$  sulphates (0.1 mol L<sup>-1</sup>) were prepared by dissolving AR-grade (Merck, India) salts in triple-distilled water. Aqueous solutions of Asp and Cit (Merck, India) were also prepared. To increase the solubility of Asp and Cit and suppress the hydrolysis of the metal salts, the mineral acid concentration in the above solutions was maintained at 0.05 mol L<sup>-1</sup>. CTAB (Merck, India) was used as received. A 2.0 mol L<sup>-1</sup> sodium chloride (Qualigens, India) solution was prepared to maintain the ionic strength in the titrand. A 0.2 mol L<sup>-1</sup> hydrochloric acid (Merck, India) solution and a 0.5 mol L<sup>-1</sup> sodium hydroxide (Merck, India) were prepared. To eliminate the errors associated with the determination of the concentrations, the data were subjected to an analysis of variance for one-way classification (ANOVA). The alkali concentration was determined using the Gran plot method <sup>24</sup>.

# 2.1 Apparatus

All titrations were performed in media containing varying concentrations of CTAB while maintaining an ionic strength of 0.16 mol L<sup>-1</sup> with sodium chloride at 30 °C. A Systronics pH system (model 335) (readability 0.001) was used. The glass electrode was homogenised in a well-stirred CTAB–water mixture containing an inert electrolyte. A correction factor calculated from replicated acid-base titration data calculated by the SCPHD program<sup>25-27</sup> was used to compensate for variations in asymmetry, liquid junction potential, activity coefficient, sodium ion error, and dissolved carbon dioxide on the response of the glass electrode. A correction factor has been applied to the pH metre dial reading. Titrations of a strong acid with alkali were undertaken at regular intervals to check the complete equilibration of the electrode. The calomel electrode was refilled with a cationic CTAB–water mixture of composition equivalent to that of the titrant. In each titration, the titrant consisted of mineral acid (HCl) of approximately 1–5 mmol in a total volume of 50 cm<sup>3</sup>. Titrations of solutions containing different ratios of metal to primary (Asp) and secondary (Cit) ligands with different ratios (M:L:X = 1:2:2, 1:4:2, and 1:2:4) were carried out with a 0.5 mol L<sup>-1</sup> sodium hydroxide solution.

### 2.2 Modelling strategy

The computer programme MINIQUAD75<sup>28</sup> was used to generate the best-fit chemical models relating stoichiometric coefficients to the logarithm of stability constants (log  $\beta$ ). Some heuristics were followed in refining stability constants and validating models<sup>29–30</sup>. The formation constants for acid–base equilibria and those for binary metal complexes of Asp and Cit were determined in the refinement of the mixed ligand stability constants using MINIQUAD75.

#### 3. Results and Discussion

#### 3.1 Complex equilibria

In the presence of a mineral acid and an inert electrolyte, alkali-metric titrations of mixtures containing different mole ratios of Asp and Cit revealed that MLXH<sup>2-</sup>, MLX<sub>2</sub>H<sup>5-</sup>, and MLX<sup>3-</sup> species are formed for Co(II), Ni(II), Cu(II), and Zn(II). The parameters of the best-fit models and statistical parameters are given in Table I. The very low standard deviation in the log  $\beta$  values reflects the precision of these parameters. This indicates that the generated models appropriately fit the experimental data. The small values of U<sub>corr</sub> indicate that the model is consistent with the experimental data<sup>31</sup>. The majority of the systems had kurtosis values around 3, and hence, the residuals form a meso-kurtic pattern.

For some systems, the kurtosis values are greater than 3 (leptokurtic pattern). The values of skewness between -0.02 and 1.98 indicate that the residuals form a part of a normal distribution, and hence the least squares method can be applied to the present data. The sufficiency of the model is further evident from the low crystallographic *R*-factor values, which indicate the need for the inclusion of additional species in the model.  $\chi^2$  is a special case of a  $\gamma$ -distribution that measures the probability of residuals forming a part of standard normal distribution.

S. R. Pedada and N. R. Gollapalli / Current Chemistry Letters 12 (2023) Table 1. Parameters of best fit chemical models of ternary complexes of Asp and Cit in CTAB-water mixtures; Temperature = 30 °C, Ionic strength =  $0.16 \text{ mol } \text{L}^{-1}$ 

| ‰w∕v   |           | $Log\beta(SD)$ |                    | – NP | Ucorr | Skew-ness | $\chi^2$ | R-Factor  | Kurtosis | pH-Range |
|--------|-----------|----------------|--------------------|------|-------|-----------|----------|-----------|----------|----------|
|        | MLX       | MLXH           | MLX <sub>2</sub> H | 111  |       | Skew-ness | λ        | K-1 actor | Kuitosis | p11-Kang |
| 0.0    | 1(07(15)  | 21 72(25)      | 27 52(22)          | 127  | 0.20  | 0.04      | 101 22   | 0.0014    | 5.02     |          |
| 0.0    | 16.97(15) | 21.73(25)      | 27.53(32)          | 137  | 8.29  | -0.94     | 101.32   | 0.0014    | 5.02     | 2.00-    |
| 0.5    | 15.42(18) | 20.87(24)      | 25.78(30)          | 125  | 7.15  | -0.87     | 121.30   | 0.0832    | 4.98     | 2.00-    |
| 1.0    | 15.53(16) | 20.73(20)      | 25.43(29)          | 129  | 9.36  | -0.67     | 125.27   | 0.0741    | 5.39     | 2.00-    |
| 1.5    | 15.74(20) | 20.59(28)      | 25.57(34)          | 137  | 9.38  | -0.77     | 117.05   | 0.0863    | 4.74     | 2.00-    |
| 2.0    | 15.82(21) | 20.46(30)      | 25.49(34)          | 145  | 0.67  | -0.02     | 107.29   | 0.0772    | 6.09     | 2.00-    |
| 2.5    | 15.64(13) | 20.57(22)      | 25.59(30)          | 142  | 3.44  | -0.09     | 131.20   | 0.0911    | 4.44     | 2.00-    |
| Ni(II) |           |                |                    |      |       |           |          |           |          |          |
| 0.0    | 15.63(08) | 21.92(19)      | 27.97(26)          | 158  | 9.80  | 0.85      | 54.32    | 0.0811    | 3.29     | 2.00-    |
| 0.5    | 13.98(12) | 19.47(20)      | 25.79(32)          | 133  | 3.23  | 0.76      | 39.09    | 0.0774    | 4.71     | 2.00-    |
| 1.0    | 13.53(09) | 19.43(16)      |                    | 137  | 9.55  | 0.54      | 42.07    | 0.0655    | 5.29     | 2.00-    |
| 1.5    | 13.79(15) | 19.35(22)      | 25.58(28)          | 149  | 9.60  | 0.34      | 39.77    | 0.0421    | 6.33     | 2.00-    |
| 2.0    | 13.64(06) | 19.11(26)      | 25.47(26)          | 139  | 0.48  | 0.70      | 21.78    | 0.0625    | 7.42     | 2.00-    |
| 2.5    | 13.75(14) | 19.23(25)      | 25.54(36)          | 140  | 0.52  | 0.81      | 25.04    | 0.0500    | 6.30     | 2.00-    |
| Cu(II) |           |                |                    |      |       |           |          |           |          |          |
| 0.0    | 16.74(11) | 20.73(20)      | 25.98(26)          | 120  | 0.37  | -1.88     | 72.44    | 0.0824    | 5.48     | 2.00-    |
| 0.5    | 15.76(16) | 19.93(24)      | 24.96(35)          | 112  | 2.70  | 1.92      | 25.02    | 0.0732    | 4.43     | 2.00-    |
| 1.0    | 15.83(12) | 19.75(22)      | 24.47(32)          | 114  | 2.72  | -1.22     | 32.06    | 0.0844    | 3.97     | 2.00-    |
| 1.5    | 15.74(12) | 19.54(24)      | 24.38(36)          | 117  | 0.29  | -1.04     | 49.97    | 0.0759    | 4.08     | 2.00-    |
| 2.0    | 15.98(14) | 19.64(25)      | 24.25(36)          | 121  | 9.71  | 1.90      | 51.04    | 0.0011    | 5.07     | 2.00-    |
| 2.5    | 15.75(15) | 19.53(27)      | 24.94(38)          | 125  | 7.19  | 1.98      | 29.07    | 0.0024    | 4.37     | 2.00-    |
| Zn(II) |           |                |                    |      |       |           |          |           |          |          |
| 0.0    | 10.93(06) | 16.94(14)      | 29.82(28)          | 148  | 2.58  | 0.22      | 101.23   | 0.0813    | 6.20     | 2.00-    |
| 0.5    | 8.49(08)  | 15.23(16)      | 27.02(36)          | 152  | 5.03  | 0.34      | 121.02   | 0.0715    | 7.02     | 2.00-    |
| 1.0    | 8.41(07)  | 15.34(15)      | 27.14(30)          | 138  | 8.81  | 0.49      | 117.05   | 0.0625    | 4.09     | 2.00-    |
| 1.5    | 8.70(10)  | 15.47(15)      | 27.08(25)          | 136  | 1.84  | 0.89      | 114.52   | 0.0741    | 3.99     | 2.00-    |
| 2.0    | 8.54(12)  | 15.97(19)      | 27.45(30)          | 130  | 0.94  | 0.74      | 110.59   | 0.0835    | 4.72     | 2.00-    |
| 2.5    | 8.96(10)  | 15.87(22)      | 27.93(34)          | 128  | 8.00  | 0.60      | 107.21   | 0.0661    | 4.87     | 2.00-    |

= U/(NP-m) × 108, m= number of species; NP = number of experimental points

# 3.2 Effect of micelles on stability of complexes

The linear variation of the Asp and Cit complexes of Co(II), Ni(II), Cu(II), and Zn(II) in cationic CTAB-water mixtures with mole fraction (Fig. 1) indicates that electrostatic forces dominate the equilibrium process under the experimental conditions used. The stability of a complex depends on the charge of the Stern layer<sup>32</sup>, the polarity of the medium, and the electrostatic attraction or repulsive forces operating between the complex species and the micellar surface. This linear decrease<sup>33</sup> is caused by the medium's decreasing dielectric constant as surfactant content<sup>34</sup> increases. The charged species will be destabilised due to the decreased dielectric constant of the medium and increasing surfactant concentration. The stability of the neutral mixed complexes (Fig. 1) is not influenced by CTAB. CTAB acts as a denaturant for macromolecules by interacting with the peptide groups. Hence, the stability of the species decreases with increasing CTAB content, and the decreased stability of the ternary complexes is related to the ligation power of CTAB




Fig. 1. Variation of stability constants of ternary complexes of Asp-Cit with mole fraction in CTAB water mixtures; (A) Co(II), (B) Ni(II), (C) Cu(II) and, (D) Zn(II) ( $\blacksquare$ ) log $\beta_{MLX}$ , ( $\bullet$ ) log $\beta_{MLXH}$  and ( $\blacktriangle$ ) log $\beta_{MLXH}$ 

# 3.3 Stability of the ternary complexes

The change in ternary complex stability as correlated to their binary analogues has been quantified<sup>35-36</sup>. One approach compares the variation in stability ( $\Delta \log K$ ) for the two reactions ML with X and M (aq) with X were calculated solely on statistical grounds. Eqs. (1, 2) and can be rationalised using the previously reported cyclic system properties, which show that both ligands in the ternary complex have reciprocal influence to the same extent<sup>37-38</sup>. The value of  $\Delta \log K$  should be negative as the ligand L or X coordinates more easily with the free metal ion compared to the binary complex. This is normally observed in simple binary systems where log K<sub>1</sub> is always greater than log K<sub>2</sub>. On the contrary, in the case of mixed ligand complexes,  $\Delta \log K$  is positive for certain combinations of ligands.

$$\Delta \log K = \log K_{MLX}^{ML} - \log K_{MX}^{M}$$
(1)  
= log K\_{MLX}^{ML} - log K\_{ML}^{M} (2)

Both the electrostatic theory of binary complex formation and statistical arguments clearly indicate that, in the case of a given multivalent hydrated metal ion, more coordination positions are available for the first ligand than for the second one. As a result, the order of stability applies, which means that  $\Delta \log K$  is negative, with a few exceptions<sup>39</sup>. The statistical values of  $\Delta \log K$  for bidentate L and X are –0.4 and –0.6 for octahedral and square planar complexes, respectively, whereas for distorted octahedral complexes, these values vary between –0.9 and –0.3. Negative values of  $\Delta \log K$  can be rationalised as the secondary ligand forming a more stable complex with the hydrated metal ion than with ML, which does not mean that the ternary complex is absent.

**Table 2.** log X and  $\Delta$  log K values from overall stability constants of Asp and Cit in surfactant (CTAB)-water mixtures

| % w/v      | $\log X_{MLX}$ | $\log X_{MLXH}$ | $\Delta \log K_{MLX_2H}$ | $\log X_{MLX}$ | $\log X_{MLXH}$ | $\Delta \log K_{MLX_2H}$ |
|------------|----------------|-----------------|--------------------------|----------------|-----------------|--------------------------|
| Surfactant |                |                 |                          |                |                 |                          |
| СТАВ       | Co(II)         |                 | Ni(II)                   |                |                 |                          |
| 0.0        | 8.10           | 10.07           | -0.24                    | 8.54           | 5.61            | -3.02                    |
| 0.5        | 5.17           | 9.51            | -1.31                    | 10.76          | 4.66            | -2.79                    |
| 1.0        | 9.03           | 8.01            | -2.52                    | 12.30          | 6.54            |                          |
| 1.5        | 3.14           | 5.99            | -0.65                    | 15.66          | 3.34            | -5.42                    |
| 2.0        | 8.48           | 7.91            | -3.05                    | 13.79          | 7.11            | -2.49                    |
| 2.5        | 4.57           | 9.42            | -3.51                    | 15.40          | 8.80            | -4.78                    |
|            |                | Cu(II)          | Zn(II)                   |                |                 |                          |
| 0.0        | 5.32           | 5.59            | -0.64                    | 7.93           | 11.75           | -4.28                    |
| 0.5        | 4.02           | 8.26            | 1.40                     | 7.97           | 9.12            | -4.18                    |
| 1.0        | 5.21           | 4.34            | -3.24                    | 10.28          | 8.62            | -0.25                    |
| 1.5        | 5.13           | 8.06            | -0.64                    | 5.92           | 9.05            | -5.34                    |
| 2.0        | 4.86           | 9.90            | 1.86                     | 10.25          | 10.69           | -7.28                    |
| 2.5        | 5.32           | 7.84            | -0.27                    | 9.02           | 7.37            | -2.84                    |

# Calculations

$$\log X_{MLX} = 2\log \beta_{MLX} - \log \beta_{ML_2} - \log \beta_{MX_2}$$
(4)

$$\log X_{MLXH} = 2\log \beta_{MLXH} - \log \beta_{ML_2} - \log \beta_{MX_2} = 2\log \beta_{MLXH} - \log \beta_{ML_2} - \log \beta_{ML_2} - \log \beta_{MX_2H_2}$$
(5)

$$\log X_{MLX_{2}H} = 2\log \beta_{MLX_{2}H} - \log \beta_{ML_{2}H_{2}} - \log \beta_{MX_{4}} = 2\log \beta_{MLX_{2}H} - \log \beta_{ML_{2}} - \log \beta_{MX_{4}H_{2}}$$
(6)

$$\Delta \log K_{MLX,H} = \log \beta_{MLX,H} - \log \beta_{MLH} - \log \beta_{MX_2}$$
(7)

When the experimental value of  $\Delta \log K$  exceeds the statistical value, it can be inferred that the ternary complex is formed by the interaction of ML with X or MX with L. Sigel postulated that the  $\Delta \log K$  values of ternary complexes with bipyridyl as the primary ligand were positive for *O*-donors (malonic acid, pyrocatechol, *etc.*), negative for *N*-donors (ethylene diamine), and intermediate or minor negative values for amino acids with both N and O coordination sites<sup>40–41</sup>. Cu(en) (iminodiacetic acid) had a very high negative value (-2.3), while Cu(ophen) (6,7-dihydroxynaphthalene-2-sulfonate) had a positive value (0.82). Some  $\Delta \log K$  values and log X values are found to be greater than the theoretical values, which account for the extra stability of the ternary complexes.

The formulas for the calculation of  $\Delta \log K$  values are given in Table 2. The  $\Delta \log K$  values calculated for the binary and ternary complexes are given in Table 2. Co (II), Ni (II), Cu (II), and Zn (II) ions form octahedral complexes with Asp and Cit. For most of the systems in Table 2, the values of  $\Delta \log K$  are found to be higher than those expected on statistical grounds (-0.4). The increased stability of the ternary complexes can be due to interactions outside the coordination sphere, such as the existence of hydrogen bonds between the coordinated ligands. In addition, a similar stabilising effect may

301

27.27(37)

Rejected

Rejected

28.58(37)

28.15(28)

27.77(40)

28.09(42)

28.39(34)

Rejected

21.08(21)

Rejected

21.01(25)

20.85(24)

21.33(24)

Rejected

21.12(22)

20.74(20)

Rejected

likewise be exerted by electrostatic interactions between non-coordinated, charged groups of the ligands, such as the  $NH^{3+}$  of Asp and the COO<sup>-</sup> of Cit.

# 3.4 Effect of influential parameters on stability constants

+2

+5

-5

-2

+2

+5

-5

-2

+2

Any variation in the parameters (the concentrations of the chemicals) affects the measurements of the equilibrium constants. Such parameters are called influential parameters. In order to rely on the best-fit a chemical model for critical evaluation and application under a variety of experimental conditions distinct accuracies of data acquisition, a study was undertaken by inserting pessimistic errors in the concentrations of alkali, acid, ligands, metal ions and correction factor. The results in Table 3, indicate that the errors in the concentrations of alkali and acid affect the stability constants to a greater extent than the errors associated with the ligands and the metal ion

| Ingredient | % Error |           | log β(SD) |                    |  |  |
|------------|---------|-----------|-----------|--------------------|--|--|
|            |         | MLX       | MLXH      | MLX <sub>2</sub> H |  |  |
|            | 0       | 15.63(8)  | 21.92(19) | 27.97(26)          |  |  |
|            | -5      | Rejected  | Rejected  | Rejected           |  |  |
|            | -2      | 16.05(7)  | 21.03(19) | 28.06(41)          |  |  |
| .11        | +2      | 15.92(6)  | 21.25(25) | Rejected           |  |  |
|            | +5      | 15.85(9)  | Rejected  | Rejected           |  |  |
|            | -5      | 15.22(8)  | Rejected  | Rejected           |  |  |
| L          | -2      | 15.42(7)  | 20.52(16) | 27.35(38)          |  |  |
| a          | +2      | 15.35(8)  | Rejected  | Rejected           |  |  |
| ali<br>I   | +5      | Rejected  | 20.23(19) | 27.23(39)          |  |  |
| Asp        | -5      | 15.77(10) | Rejected  | 28.18(47)          |  |  |
|            | -2      | 15.45(8)  | 21.38(25) | 28.42(37)          |  |  |
|            | +2      | 15.24(5)  | 20.65(22) | 27.94(34)          |  |  |
|            | +5      | 16.04(7)  | 20.93(20) | Rejected           |  |  |
| Cit        | -5      | 16.13(7)  | Rejected  | 27.99(48)          |  |  |
|            | -2      | 15.85(9)  | 20.64(24) | 27.42(32)          |  |  |
|            | 1.2     | 15 72(10) | 21.09(21) | 27 27(27)          |  |  |

15.72(10)

15.59(9)

Rejected

Rejected

16.25(6)

15.78(5)

16.07(7)

16.20(8)

15.65(6)

| Table 3. Effect of errors in influential parameters on the | he stability constants of ter | ernary complexes of Ni(II) with Asp-Cit | in |
|--|-------------------------------|---|----|
| 1.0 % w/v CTAB-water mixture                               |                               |   |    |

#### 3.5 Distribution diagrams

Metal

log F

L-aspartic acid (2.0-10.0) exists<sup>42</sup> as  $LH_3^+$ ,  $LH_2$ ,  $LH^-$  and  $L^{2-}$  in the pH range of the current study, whereas citric acid (1.7-8.0) exists as  $XH_3$ ,  $XH_2^-$ ,  $XH^{2-}$  and  $X^{3-}$ . These ligands interact with metal ions to form the MLXH<sup>2-</sup>, MLX<sub>2</sub>H<sup>5-</sup> and MLX<sup>3-</sup> species. Some typical distribution diagrams of these species are given in **Fig. 2**. The lower concentrations of binary species compared to those of ternary species indicate the higher stability of ternary complexes.

The formation of MLXH<sup>2-</sup> in the pH region 2.0-4.0 can be represented by the following equilibria.

$$M(II) + LH_3^+ + XH^{2-} \iff MLXH^{2-} + 3H^+$$
(7)

$$M(II) + LH_2 + XH_3 \iff MLXH^{2-} + 4H^+$$
(8)

$$M(II) + LH_2 + XH^{2-} \iff MLXH^{2-} + 2H^+$$
(9)

 $LH_3^+$  and  $XH^{2-}$  forms of aspartic and citric acids, respectively, interact with the metal ion to form MLXH<sup>2-</sup> (Equilibrium 7). MLXH<sup>2-</sup> can also be formed due to the interaction of the metal ion with  $LH_2$  and  $XH_3$  forms of ligands (Equilibrium 8).

The species MLX<sub>2</sub>H<sup>5-</sup> is proposed to form through the following equilibria in the pH region 4.0-6.0.

$$M(II) + LH_2 + 2XH^{2-} \longrightarrow MLX_2H^{5-} + 3H^+$$

$$\tag{10}$$

 $MLXH^{2-} + XH^{2-} \iff MLX_2H^{5-} + H^+$ (11)

$$M(II) + LH^{-} + 2XH^{2-} \implies MLX_2H^{5-} + 2H^{+}$$
(12)

 $MLX_2H^{5-}$  may be formed due to the interaction of the metal ion with  $LH_2$  and  $XH^{2-}$  (Equilibrium 10).  $MLX_2H^{5-}$  can also be formed due to equilibria 11 and 12 For Co(II), Ni(II) and Cu(II) complexes the concentration of  $MLX_2H^{5-}$  species is increased as the concentration of  $MLXH^{2-}$  is decreased (Equilibrium 11).


The species MLX<sup>3-</sup> formed in the pH region 4.0-8.0 can be represented by the following equilibria.

$$M(II) + LH^{-} + XH^{2-} \Longrightarrow MLX^{3-} + 2H^{+}$$
(13)

(14)

 $MLXH^{2-}$   $MLX^{3-} + H^{+}$ 

The MLX<sup>3-</sup> is formed by the interaction of LH<sup>-</sup> and XH<sup>2-</sup> (Equilibrium 13) or by the de protonation of MLXH<sup>2-</sup> (Equilibrium 14). In the case of Cu(II) (Fig. 2), MLX<sup>3-</sup> species is increased as the concentration of MLXH<sup>2-</sup> species is decreased.



**Fig. 2**. Distribution diagrams of (Asp) Cu (Cit) in (A) 0.5 (B) 1.0 (C) 1.5 and, (D) 2.0 % w/v CTAB-water mixtures The possible structures of these ternary complexes are proposed in **Fig. 3**.




Fig. 3. Structures for ternary complexes of Co(II), Cu (II), Ni (II), and Zn(II) with L-aspartic acid and citric acid

# 4. Conclusions

The following conclusions derive from the studies of the speciation of ternary complexes of Co (II), Ni (II), Cu (II), and Zn (II) with Asp and Cit in CTAB-water media:

The detected species were MLXH<sup>2-</sup>, MLX<sub>2</sub>H<sup>5-</sup> and MLX<sup>3-</sup> The trend of the variation in the log  $\beta$  values with changing dielectric constants along with the mole fraction of the surfactant is explained based on the electrostatic interactions of the side chains of the ligands. The change in stability of the ternary complexes as compared to their binary analogues shows that the ternary complexes are more stable than the binary complexes due to the creation of hydrogen bonds between the coordinated ligands, charge neutralization, and the chelate effect. MLX<sub>2</sub>H<sup>5-</sup> species is increased as the concentration of MLXH<sup>2-</sup> is decreased. MLX<sup>3-</sup> species is increased as the concentration of MLXH<sup>2-</sup> species is decreased. This analysis also gives an insight into the bioavailability and bioaccumulation of these metals. The ternary complexes are more responsible for metal transport because of their extra stability, whereas the binary complexes make the metal bioavailable due to their decreased stability.

# References

- 1. Bregier-Jarzebowska R., and Lomozik L.(2009) Non covalent interactions and coordination reactions in the systems consisting of copper (II) ions aspartic acid and diamines. *J. Inorg Biochem.*, 2103, *1228*-1235.
- Monda M., Viggiano A., Sullo A., and De Luca V. (1998) Aspartic and glutamic acids increase in the frontal cortex during prostaglandin E1 hyperthermia. *Neuro Sci.*, 83, 1239-1243.
- 3. Ikhsan J., Wells J.D. Johnson B., and Angove M.J. (2004)The effect of aspartic acid on the binding of transition metals to kaolinite. *J. Colloid Interface Sci.*, 273, 6-13.
- 4. Aydin R., and Yirikogullari A.(2010) Potentiometric study on complexation of divalent transition metal ions with amino acids and adenosine5'-triphosphate. J. Chem. Eng. Data., 55, 4794-4800.
- 5. Bukietynska K., Podsiadl H., and Karwecka Z.(2003)Complexes of vanadium (III) with L-alanine and L-aspartic acid . J. Inorg. Biochem., 94, 317-325.
- 6. Bottari E. (1989) Copper (II) complexes with aspartate and glutamate. *Polyhedron.*, 8, 1019-1027.
- Phase R.P., Shankarwar A.G., Shankarwar S.G., and Chondhekar T.K. (2013) Determination of the stability constants of mixed ligand complexes of bio-molecules and amino acids with Ni(II) by potentiometric titration method. *Der Pharm Chem.*, 4, 54-58.
- 8 Serbest K., Dural T., Kızıl D., Emirik M., Zengin A., and, Dinçer B.(2022)Ternary transition metal complexes with an azo-imine ligand and 2,2'-bipyridine: characterization, computational calculations, and acetylcholinesterase Inhibition activities. *Acta Chim Slov.*, 69, 604-618.
- 9 Ashish B., Ravindra B., Chandarshekhar L.,Nilesh S., Kanchan T., and Anand A.(2022) Mononuclear pyrazine-2-carbohydrazone metal complexes: Synthesis, structural assessment, thermal, biological, and electrical conductivity studies. *European Journal of Chemistry.*, 13, 126-134.
- 10. Martin R.B. (1989) Citrate binding of Al<sup>3+</sup> and Fe<sup>3+</sup> J. Inorg. Biochem., 28, 181-187.
- 11. Beinert H., Kennedy M.C.(1989) Engineering of protein bound iron-sulphur clusters. A tool for the study of protein and cluster chemistry and mechanism of iron-sulphur enzymes. *Eur. J. Biochem.*, 186, 5-15.
- 12. Brynhildsen L., and Allard, B.(1994) Influence of metal complexation on the metabolism of citrate by klebsiella oxytoca. *Biometals.*, 7, 163-169.
- 13. Krom B.P., Warner J.B., Konings W.N., and Lolkema, J.S.(**2000**) Complementary metal ion specificity of the metal-citrate transporters CitM and CitH of bacillus subtilis. *J. Bacteriol.*,182, 6374-6381.
- 14. Lippard S.J.(**1994**) *Principles of bioinorganic chemistry*. Mill Valley, CA:(University Science Books;
- Bi J., Wu L., Li Z., Wang X., and Fu X. (2008) A citrate complex process to prepare nanocrystalline PbBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> at a low temperature. *Mater Lett.*, 62,155 -158.
- Mesquita A., Bernardi M.I.B., Maia L.J.Q., and Mastelaro V.R.(2007) Synthesis and characterization of Pb<sub>1-x</sub>La x TiO<sub>3</sub> nanocrystalline powders. J. Therm. Anal. Calorim., 87, 747–51.
- 17. Delmon B. (2007) Preparation of heterogeneous catalysts. J. Therm. Anal. Calorim., 90, 49-65.
- 18. Fuentes R.O., and Baker R.T.(**2009**) Synthesis of nanocrystalline CeO<sub>2</sub>–ZrO<sub>2</sub> solid solutions by a citrate complexation route: a thermo chemical and structural study. *J. Phys. Chem.C*,113, 914-924.
- Sasikumar G., Aruimozhi S., Ashma A., Sudha S., and Askar ali J.(2019)Mixed ligand ternary complexes of Co(II),Ni(II),Cu(II) and Zn(II) and their structural characterization, electrochemical, theoretical and biological studies. J. Mol. Struct .,108 ,1187 -1194.
- Rawda M., Okasha Najla E., Shaikh Faizah AL., and Eman H. (2019) Design of novel oligomeric mixed ligand complexes: preparation, biological applications and the first example of their nanosized scale . *Int. J. Mol. Sci.*, 20, 743-764.
- Sujay M., Ishani M., Subhajit M., Venkata Pera Reddy B., Goutam G., Wolfgang L., Sankar Moi, Ch. (2019) Speciation study of L-ascorbic acid and its chelated Cu(II) & Ni(II) complexes: an experimental and theoretical model of complex formation. S. Afr. J. Chem., 72, 229-236.

- 304
- 22. Sachan S. (2011) Study of stability constants of Fe(III), and Mn(II) With chloramphenicol by paper electrophoretic technique. *Croat. Chem. Acta.*, 84, 461-464.
- 23. Singh P.P., and Kanaujia S.(2013) Interaction of cysteine and nitrilotriacetate with transition metal ions: a solution ionophoretic technique investigation. *Chem. Sci. Trans.*, 2, 1028-1034.
- 24. Gran G. (1988) Equivalence volumes in potentiometric titrations. Anal .Chim. Acta., 206, 111-123.
- Babu M.S., Rao G.N., Ramana K.V., and Rao M.S.P. (2001) Computer augmented speciation studies of cobalt(II),copper(II) and zinc(II) complexes of L-glutamic acid in water-urea mixtures. *Indian J. Chem.*, 40, 1334-1338.
- 26. Rao, GN. (1989) Complex equilibria of some biologically important metal ions in aqua-organic media *PhD Thesis,* Andhra University, Visakhapatnam, India.
- 27. Gans P., Sabatini A., and Vacca A.(1976) An improved computer program for the computation of formation constants from potentiometric data. *Inorg. Chim. Acta.*,18, 237-239.
- 28. Rao G.N., and Rao R.S.(1992)Chemical speciation of ternary complexes of L-arginine and L-aspartic acid. J. Indian Council Chem., 8, 12-28.
- 29. Sailaja B.B.V., Kebede T., Rao G.N., and Rao M.S.P.(2002) Effect of surfactants on protonation equilibria of oxalic and malonic acids. *J. Indian Chem. Soc.*, 79, 155-158.
- 30. Rao R.S., and Rao G.N. (2005) Computer Applications in Chemistry, (Himalaya Publishing House, Mumbai), India.
- 31. Rao G.N., and Murthy V.L.S.N. (2004) Effect of dielectric constant of medium on protonation equilibria of L glutamine and succinic acid. *J. Indian Chem. Soc.*, 81, 424-426.
- Bunton C.A., Cerichelli G., Ihara Y., and Supulveda L. (1979) Micellar catalysis and reactant incorporation dephosphorylation and nucleophilic substitution. J. Am. Chem. Soc., 101, 2429-2435.
- 33. Singh A.K., and Manjula D. A.(**2001**)Fluorescence study of 1-paminophenyl-4-phenylbuta-1E, 3E-diene in organic solvents,1,4-dioxane-water binary mixtures and micelles. *J. Indian Chem. Soc.*, 71, 635 641.
- 34. Cordes E. H. (1978) Kinetics of organic reactions in micelles. Pure Appl. Chem., 50, 617-625.
- Griesser R., and Sigel H.(1978)Ternary complexes in solution VIII: complex formation between the copper(II) -2, 20-bipyridyl 1:1 complex and ligands containing oxygen and (or) nitrogen donor atoms. *Inorg. Chem.*, 9, 1238-1243.
- 36. Martin R.B., and Prados R.(1974) Some factors influencing mixed complex formation. J. Inorg. Nucl.Chem. 36, 1665-1670.
- 37. Sigel H. (1967)Ternary complexes in solution. Chimia ., 21,489-500.
- 38. McCormick D.B., Sigel H., and Wright L. D.(**1969**)Structure of Mn<sup>2+</sup> and Cu<sup>2+</sup> complexes with l-methionine,Smethyl-1-cysteine,l-threonine and l-serine.*Biochim. Biophys. Acta.*, 184, 318-328.
- Sigel H. (1975)Ternary Cu<sup>2+</sup> complexes stability structure and reactivity. *Angew. Chem. Int. Ed. Engl.*, 14, 394 402.
- 40. Sigel H., and Griesser R.(1967) Influence of 2,2'-bipyridyl on the stability of Cu<sup>2+</sup> -glycine-1:1 complexes. *Helv. Chim. Acta.*, 50, 1842 -1845.
- Sigel H., Prijs B., and Martin, R.B. (1981) Stability of binary and ternary β-alanine containing dipeptide copper (II) complexes. *Inorg. Chim. Acta.*, 56, 45-49.
- <sup>42</sup> Srikanth B., Rao P.S., Rao V.S., Sastry C.K., and Rao G.N. (2009) Influence of cationic surfactanton protonation equilibria of some amino and carboxylic acids. *Proc. Natl. Acad. Sci. India.*, 79, 335-341.



© 2023 by the authors; licensee Growing Science, Canada. This is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC-BY) license (http://creativecommons.org/licenses/by/4.0/).